



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*





PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 40

CASE NO. 63

TYPE OF ACCIDENT CAR ACTRIAN CROSSING ROAD STRAIGHT

#### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) PEUESTRIAL WAS CROSSING THE ROAD FROM EAST TO WEST AND WAS STRUCK by VEHICLE ! Which WAS TRAVELING SOUTH PEDESTRIAN WAS STRUCK ON THE LEG, KNOCKED TO THE GROUND TRANSPORTED TO HOSPITAL AND RECEASED FORWHRE

	_		B. PEC	ESTRIAN PR	OFILE		
Pedestrian		_	Treatment/		Most (TO BE COMPLE	Severe	lnjury ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	76	,		Lower Extremity	Leg	2	Front Bumper

#### **Body Region** Type of Anatomic Structure **Abbreviated Injury Scale** Head (1) Minor injury Whole Area Face (2) Moderate injury Vessels Throat (3) Serious injury Nerves Chest (4) Severe injury Organs Abdomen/Pelvis (5) Critical injury Skeletal Spine (6) Maximum (untreatable) Head-LOC **Upper Extremity** (7) Injured, unknown severity Skin-Burn Lower Extremity Skin-Other External

		C. VEH	ICLE PROFIL	Most Severe Damage	
	Class		В	ased on Vehicle Inspection	
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description	
01	FULL SIZE	95 FORD BEROSTAR	FRONT	MINOR	

#### DO NOT SANITIZE THIS FORM




U.S. Department of Transportation

### **ACCIDENT COLLISION DIAGRAM**

BEST AVAILABLE

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM



BEST AVAILABLE

Scale: 1 centimeter = \_\_

meters

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM PSU No. 40 Case Number - Stratum 6 BNP Indicate North , ) Ø HS Form 431B (1/95)

DONE

# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

,				PEDESTRIAN CRASH DATA STUDY
Primary Sampling Unit Number			umber-	Stratum 6 3 / P
PEDESTRIAN ACCIDENT CO	LLISION DATA C	OLLECTION		SCALED DIAGRAM
<ul> <li>document reference point and reference line relative to physical features</li> </ul>	Surface Type	ASPHALT	* norti	n arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	DRY_	* grad road	e measurements for all applicable ways
a) vehicle skid marks	Coefficient of Fric		* scale	ed representations of the physical plant iding:
b) pedestrian contacts with ground or object	Grade (v/h) Meas	surement		all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impac			all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) betweer final res		pede	ed representations of the vehicle and estrian at pre-impact, impact, and final based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	Direction WEST	a)	physical evidence, or
documentation of the physical plant including:     all road/roadway delineation (e.g., crosswalks,	Vehicle Travel Di		b)	reconstructed accident dynamics
curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Frave			
b) all traffic controls (e.g., lights, signs)				
Reference Point: LIGHT POLK		Reference Line: _// / {	<u> </u>	CURBLINE
Item	-	Distance and Direction from Reference Point		Distance and Direction from Reference Line
B. P		0.0		0,8W
TREE #1		1,55	7	0,8W
2		9.21		0.80
'1 3		18.7 N		0.8W
PARKING METER E	ast side	9,6 N		12.1E

om Reference Point	from Reference Line

National Highway Traffic Safety Administration	PEDESTRIAN A	CCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM
1. Primary Sampling Unit Number	40	SPECIAL STUDIES - INDICATORS
2. Case Number - Stratum	631 P	Check (🗸) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the checked special
IDENTIFICAT	ION	studies and 0 for the special studies not checked.
Number of General Vehicle     Forms Submitted	0 1	6SS15 Administrative Use0
4. Date of Accident		7. <u>✓</u> SS16 Pedestrian Crash Data Study <u>1</u>
(Month,Day,Year)	/ 9 8	8SS17 Impact Fires0
5. Time of Accident	1610	9SS18 <u>0</u>
Code reported military time	of accident.	
NOTE: Midnight = 2400 Unknown = 9999		10SS19 <u>0</u>
		NUMBER OF EVENTS
		11. Number of Recorded Events in This Accident

### PEDESTRIAN STUDY CRITERIA

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the

Assidants		PEDESTRIAN	ACCIDEN"	T EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>0 1</u>	14.	15. <u>F</u>		17. <u>0 0</u>	18. <u>0</u>

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

## CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

### CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

# PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number	40	OFFICIAL RECORDS
2. Case Number - Stratum 6	31 P	9. Police Reported Travel Speed
3. Vehicle Number	0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph)
VEHICLE IDENTIFICATION		(160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model ye (99) Unknown	9 3 ar	mph X 1.6093 =kmph  10. Speed Limit
5. Vehicle Make (specify):	12	(000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	d	2 mph X 1.6093 = 48 kmph
(99) Unknown	ו לג ו	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify):  AEROSTAR  Applicable codes are found in your	141	(8) No driver present (9) Unknown
NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	d	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
<ol> <li>Body Type         Note: Applicable codes may be found or the back of this page.     </li> </ol>	20	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number		Source:
Left justify; Slash zeros and letter Z (0 a No VIN—Code all nines		13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

### **CODES FOR BODY TYPE**

#### CDS APPLICABLE VEHICLES

#### **Automobiles**

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (s 4,500 kgs GVWR)
- Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

#### Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- Light truck based motorhome (chassis mounted) (42)
- (45)Other light conventional truck type
- (48)Unknown light truck type
- Unknown light vehicle type (automobile, utility, van, or (49)light truck)

#### OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- Single unit straight truck (> 12,000 kgs GVWR)
- Single unit straight truck, GVWR unknown
- Medium/heavy truck based motorhome (65)
- (67)Truck-tractor with no cargo trailer (68)
- Truck-tractor pulling one trailer
- Truck-tractor pulling two or more trailers (69)
- (70)Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

#### Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- Three-wheel motorcycle or moped (82)
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- Construction equipment other than trucks (93)
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest 10 kilograms. (045) Less than 450 kilograms	18. Impact Speed + 16
(610) 6,100 kilograms or more (999) Unknown	(NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above
<u>33.50 € 8</u> lbs X .4536 = <u>√, 5 € 4</u> kgs	(999) Unknown  19. Accuracy Range of Impact Speed Estimate
16. Vehicle Cargo Weight  Code weight to nearest 10 kilograms.  (000) Less than 5 kilograms  (450) 4,500 kilograms or more	(0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown
(999) Unknown lbs X .4536 =, kgs	20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES: IS UHROUGH ZO ARE CONTRELED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	· · · · ·	
	ritical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
	his Vehicle Loss of Control Due To:	(specify):
	O1) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
	O2) Stalled engine	roadway (specify):
((	03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
	(specify):	location (specify):
(	04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
	up) (specify):	(87) Animal in roadway
. (	05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
	(specify):	(89) Animal—unknown location
(	06) Traveling too fast for conditions	(90) Object in roadway
ţ	08) Other cause of control loss (specify):	(91) Object approaching roadway
,	000	(92) Object—unknown location
	09) Unknown cause of control loss	(98) Other critical precrash event (specify):
	This Vehicle Traveling	Proofdon event (specify):
(	10) Over the lane line on left side of travel lane	(99) Unknown
(	11) Over the lane line on right side of travel lane	, , , , , , , , , , , , , , , , , , , ,
,	12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(	13) Off the edge of the road on the right side	(00) No driver present
	14) End departure	(01) No avoidance actions
(	15) Turning left at intersection	(02) Braking (no lockup)
(	16) Turning right at intersection	(03) Braking (lockup)
(	17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(	19) Unknown travel direction	(05) Releasing brakes
	Other Motor Vehicle In Lane	(06) Steering left
	50) Stopped	(07) Steering right
(	51) Traveling in same direction with lower speed	(08) Braking and steering left
	(i.e., lower steady speed or decelerating)	(09) Braking and steering right
	52) Traveling in same direction with higher speed	(10) Accelerating
	53) Traveling in opposite direction	(11) Accelerating and steering left
	54) In crossover	(12) Accelerating and steering right
	55) Backing	(98) Other action (specify):
,	59) Unknown travel direction of other motor vehicle in lane	(99) Unknown
	· · · · · · · · · · · · · · · · · · ·	
ì	Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
'	60) From adjacent lane (same direction)—over left lane line	(U) No driver present
		(1) No avoidance maneuver
,	61) From adjacent lane (same direction)—over right lane line	(2) Tracking
	62) From opposite direction—over left lane line	(3) Skidding longitudinally—rotation less than 30
	(63) From opposite direction—over right lane line	degrees
i	(64) From parking lane	(4) Skidding laterally—clockwise rotation (5) Skidding laterally—counterplants and right
	(65) From crossing street, turning into same direction	(5) Skidding laterally—counterclockwise rotation (8) Other vehicle loss-of-control (specify):
	(66) From crossing street, across path	candidate loss-of-control (specify):
	(67) From crossing street, turning into opposite	(9) Precrash stability unknown
	direction	
1	(68) From crossing street, intended path not known	26. Precrash Directional Consequences of
	(70) From driveway, turning into same direction	Avoidance Maneuver (Corrective Action)
	(71) From driveway, across path	(U) No driver present
	(72) From driveway, turning into opposite direction	(1) No avoidance maneuver
	(73) From driveway, intended path not known	(2) Vehicle stayed in travel lane where avoidance
	(74) From entrance to limited access highway	I maneuver was initiated
	(78) Encroachment by other vehicle—details	(3) Vehicle stayed on roadway but left travel lane
	unknown	I Write avoidance maneuver was initiated
,	Pedestrian or Pedalcyclist, or Other Nonmotorist	I TOUR THE PROPERTY OF THE PRO
	(80) Pedestrian in roadway	travel lane where avoidance maneuver was initiated
	(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
	(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off road
		(9) Directional consequences unknown
		mindioati

ENVIRO	NME	NTAL DATA
27. Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):		33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
<ul> <li>(6) Unknown type of non-interchange</li> <li>(9) Unknown if interchange</li> <li>28. Trafficway Flow</li> <li>(1) Not physically divided (two way traffic)</li> <li>(2) Divided trafficway - median strip without positive barrier</li> <li>(3) Divided trafficway - median strip with positive barrier</li> <li>(4) One way trafficway</li> <li>(9) Unknown</li> </ul>		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)  Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29. Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	2	(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):  (9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30. Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	_/	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown
(1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32. Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):  (9) Unknown	2	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

			/ P
	$\mathcal{T}$	大/	
	$\mu \rightarrow$	$\sim$	_
VE			

#### HICLE IDENTIFICATION

VIN JEMCKILLUGPZ

Vehicle Make (specify): FORG

Vehicle Model (specify): APROSTAR

### PEDESTRIAN FRONT CONTACT

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

**VERTICAL MEASUREMENTS** 

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

cm

cm

#### WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm


cm

cm


cm

cm

cm



	PEDESTRIAN SIDE CONTACT WORK SHEE	•	
PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	. VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cm
PEV27	Side Bumper-Bottom Height		cm
PEV28	Side Bumper-Top Height		cm
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire		cm
PEV31	Top of Wheel Well Opening		сп
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
	Top of Side View Mirror		cn
			CII
	LATERAL MEASUREMENTS		
PEV35	C <sub>L</sub> to A-Pillar at Bottom of Windshield		cn
PEV36	C <sub>L</sub> to A-Pillar at Top of Windshield		cn
	C <sub>L</sub> to Maximum Side View Mirror Protrusion		cm
			CII
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cn
PEV39	Ground to Hood Edge		cn
	Ground to Centerline of Hood (ORIGIN)		cn
PEV40	are and to contourne of flood (Olliquia)		



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: \_\_\_\_ cm

NOTES:

#### 9 inches $\times 2.54 =$ Wheelbase Overall Length inches x = 2.54 =Maximum Width inches x = 2.54 =pounds x .4536 =Curb Weight Average Track inches x 2.54 =Front Overhang 6 inches x 2.54 = 29.1 inches x 2.54 = Rear Overhang Undeformed End Width inches $\times$ 2.54 = Engine Size: cyl./displ. \_\_\_ \_\_ CC x .001 =₹.O L CID x .0164 =**INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):\_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object (specify): LICENSE FLATE HOLDER 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify):\_ 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): \_ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

ORIGINAL SPECIFICATIONS

POINTS OF PEDESTRIAN CONTACT  PEDESTRIAN CONTACT WORKSHEET									
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE ,	
YF	BUMPER	53	6		LEG	SCRATCY BENT	1 ② 3 9	2	
72	PLATE	45	0		460	BENT	9 9 9	1	
	,						1 2 3 9		
							1 2 3 9		
						·	1 2 3 9		
							1 2 3 9		
	·						1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
			<u> </u>		<u></u>	<u> </u>	1 2 3 9		

POINTS OF PEDESTRIAN CONTACT									
			CHRONO	LOGICAL ORD	ER OF CONTACTS				
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )		
1	718 700	45	0		LEG	BENT	2 3 9		
2	700	53	6		LEG	CENT SORATEN	1 🕖 1.9		
3							1 2 3 9		
4							1 2 3 9		
5							1 2 3 9		
6							1 2 3 9		
7							1 2 3 9		
8							1 2 3 9		
9							1 2 3 9		
10							1 2 3 9		
11							1 2 3 9		
12							1 2 3 9		
13							1 2 3 9		
14							1 2 3 9		
15							1 2 3 9		
16							1 2 3 9		
17	•						1 2 3 9		
18							1 2 3 9		
19							1 2 3 9		
20							1 2 3 9		
21							1 2 3 9		
22							1 2 3 B		
23							1 2 3 9		
24							1 2 3 9		
25							1 2 3 9		

VEHICLE DIMENSIONS	11 Hood Width Boar Opening
4. Original Wheelbase 3 0 2	11. Hood Width Rear Opening  Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	(999) UNKNOWN
118.7 inches X 2.54 = $30$ centimeters	
5. Original Average Track Width	(12) Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian (O) Not domain of
nearest centimeter	(0) Not damaged (1) Surface scratching only, no residual crush
(185) 185 centimeters or more (999) Unknown	(2) Minor crush (1-3 centimeters)
(999) Onknown	(3) Moderate crush (4-7 centimeters)
$\underline{}$ 60. $\underline{\mathscr{E}}$ inches X 2.54 = $\underline{}$ 5 $\underline{\mathscr{E}}$ centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
	pedestrian impact (9) Unknown
6. Hood Material	(9) Olikilowii
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original /	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
101 0514	unknown if damaged
(2) OEM replacement	unknown if damaged
<ul><li>(2) OEM replacement</li><li>(3) Non-OEM replacement</li><li>(9) Unknown</li></ul>	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement (9) Unknown	unknown if damaged FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter	unknown if damaged FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches X 2.54 = 56 centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches x 2.54 = 56 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches X 2.54 = 56 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches x 2.54 = 56 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches X 2.54 = 56 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches X 2.54 = 56 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  62.2 inches X 2.54 = 156 centimeters	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches x 2.54 = 56 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  (999) Unknown  (999) Unknown  (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches X 2.54 = 56 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  62.2 inches X 2.54 = 158 centimeters  10. Hood Width Midway Code to the	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches x 2.54 = 56 centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  (999) Unknown  (999) Unknown  (02.2 inches x 2.54 = 156 centimeters  10. Hood Width Midway Code to the nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches X 2.54 = 56 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  62.2 inches X 2.54 = 158 centimeters  10. Hood Width Midway Code to the	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches X 2.54 = 56 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  62.2 inches X 2.54 = 156 centimeters  10. Hood Width Midway  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches X 2.54 = 56 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  (999) Unknown  (999) Unknown  (20) 210 centimeters or more (210) 210 centimeters  10. Hood Width Midway  Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  22.0 inches X 2.54 = 56 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  62.2 inches X 2.54 = 156 centimeters  10. Hood Width Midway  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

17. Front Bumper-Top Height  Code to the nearest centimeter  (000) No front contact (150) 150 centimeters or more (999) Unknown  22. \( \frac{1}{2} \) inches X 2.54 = \( \frac{57}{2} \) centimeters  18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  31. \( \frac{7}{2} \) inches X 2.54 = \( \frac{8}{2} \) centimeters  19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown  1. \( \frac{7}{2} \) inches X 2.54 = \( \frac{1}{2} \) centimeters	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown  95.7 inches x 2.54 = 243 centimeters  25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown  inches x 2.54 =
_	CIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  32.7 inches X 2.54 = 83 centimeters  21. Ground to Front/Top Transition Point  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  35.4 inches X 2.54 = 90 centimeters  22. Ground to Rear Hood Opening  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  54.3 inches X 2.54 = 36 centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters

29. Centerline of Wheel Code to the	Side Lateral Measurements
nearest centimeter	
(000) No side contact	35. Centerline to A-Pillar
(150) 150 centimeters or more	at Bottom of Windshield
(999) Unknown	(000) No side contact
	Code to the
inches X 2.54 = centimeters	nearest centimeter
	(250) 250 centimeters or more (999) Unknown
30. Top of Tire	(SS) STRICTI
Code to the	inches X 2.54 = centimeters
nearest centimeter	
(000) No side contact	
(200) 200 centimeters or more	36. Centerline to A-Pillar
(999) Unknown	at Top of Windshield
	Code to the nearest centimeter
inches X 2.54 = centimeters	(000) No side contact
	(250) 250 centimeters or more
31. Top of Wheel Well Opening	(999) Unknown
Code to the	
nearest centimeter	inches X 2.54 = centimeter
(000) No side contact	
(250) 250 centimeters or more (999) Unknown	37. Centerline to Maximum Side
(999) OHKHOWH	View Mirror Protrusion
inches X 2.54 = centimeters	Code to the
	nearest centimeter
32. Bottom of A-Pillar at Windshield	(000) No side contact
Code to the	(300) 300 centimeters or more
nearest centimeter (000) No side contact	(999) Unknown
(250) 250 centimeters or more	inches X 2.54 = centimeter
(999) Unknown	centimeter
	CLUB C
inches X 2.54 = centimeters	Side Wrap Distance Measurements
33. Top of A-Pillar at Windshield	38. Ground to Side/Top Transition
Code to the	Code to the
nearest centimeter	nearest centimeter
(000) No side contact	(000) No side contact
(300) 300 centimeters or more	(400) 400 centimeters or more (999) Unknown
(999) Unknown	(555) Olikilowii
inches X 2.54 = centimeters	inches X 2.54 = centimeters
34. Top of Side View Mirror	39. Ground to Hood Edge
Code to the	Code to the nearest centimeter
nearest centimeter (000) No side contact	(000) No side contact
(300) 300 centimeters or more	(500) 500 centimeters or more
(999) Unknown	(999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
centimeters	
ı	1

			<del></del>	, the second relicie rulli	Page 10
	(000) (700) (999)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknowninches X 2.54 =d to Head Contact	centimeters		
<b>4</b>	(000) (800) (998)	Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	-(2-()-()-		
		inches X 2.54 =	centimeters		
			;		
		,			
					Ì
			:		

è

## PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary Sampling Unit Number 40	10. Pedestrian's Weight
2.	Case Number - Stratum 6 2 1 P	Code actual weight to the nearest kilogram. (999) Unknown
3.	Pedestrian Number <u>0 1</u>	$-\frac{1}{6}$ o pounds X .4536 = $\frac{7}{3}$ kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S DRE AVOIDANCE A CEICLE
	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS  11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6.	Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown  7 0 inches X 2.54 = 17 8 centimeters	<ul><li>(6) Jumping</li><li>(7) Falling/stumbling or rising</li><li>(8) Other (specify):</li><li>(9) Unknown</li></ul>
	Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown  Linches X 2.54 = 52 centimeters	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel
8.	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown  Light - Ground to Hip Code to the nearest centimeter. (999) Unknown Code to the nearest centimeter.	(08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9.	Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

HS Form 435H (7/95) This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate and timely.

### PEDESTRIAN'S AVOIDANCE ACTIONS

- Pedestrian's First Avoidance Actions
- (00) No avoidance actions
- (01) Stopped (02) Accelerated pace
- (03) Ran away (along vehicle path)
- (04) Jumped
- (05) Turned toward vehicle (06) Turned away from vehicle
- (07) Dove or fell away

#### Used hand(s) to:

- (11) Vault corner of vehicle
- (12) Vault onto vehicle
- (13) Brace against vehicle
- (14) Crouched and braced hands against vehicle
- (98) Other (specify): Get across street
  (99) Unknown lia ped Interview.

### PEDESTRIAN'S ORIENTATION AT IMPACT

- 16. Pedestrian's Head Orientation at Initial Impact
  - (1) To front
  - (2) To left
  - (3) To right
  - (4) Up
  - (5) Down
  - (8) Other (specify):
  - (9) Unknown
- 17. Pedestrian's Body (Chest) Orientation at Initial Impact
  - (1) Facing vehicle
  - (2) Facing away
  - (3) Left side to vehicle
  - (4) Right side to vehicle
  - (8) Other (specify):\_\_\_\_\_
  - (9) Unknown

- 18. Pedestrian's Arm Orientation at Initial Impact

- (01) At sides
- (02) Folded across chest
- (03) Hands clasped behind back
- (04) Hands on hips
- (05) Hands in pockets

#### One or both arms:

- (06) Extended upward
- (07) Extended to side
- (08) Extended forward bracing
- (09) Extended, holding object (briefcase, suitcase, etc.)
- (10) Holding object (young child, grocery bag, etc.) in arm(s)
- (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head
- (98) Other (specify):\_\_\_\_\_
- (99) Unknown
- (19.) Pedestrian's Leg Orientation at Initial Impact
  - (01) Together
  - (02) Apart-laterally
  - (03) Apart-right leg forward
  - (04) Apart-left leg forward
  - (05) Apart- forward leg unknown
  - (06) Left foot off the ground
  - (07) Right foot off the ground
  - (08) Both feet off the ground
  - (98) Other (specify):\_\_\_\_\_
  - (99) Unknown
- 20. Vehicle/Pedestrian's Interaction
  - (01) Carried by vehicle, wrapped position
  - (02) Carried by vehicle, slid to windshield
  - (03) Carried by vehicle, position unknown
  - (04) Passed over vehicle top
  - (05) Thrown straight forward
  - (06) Thrown forward and left of vehicle
  - (07) Thrown forward and right of vehicle
  - (08) Knocked to pavement, forward
  - (09) Knocked to pavement, left of vehicle
  - (10) Knocked to pavement, right of vehicle
  - (11) Knocked to pavement, run over or dragged by vehicle
  - (12) Shunted to left (corner impacts only)
  - (13) Shunted to right (corner impacts only)
  - (14) Bumped or pushed aside
  - (15) Snagged, rotated
  - (16) Snagged, dragged by vehicle
  - (17) Foot or legs run over
  - (98) Other (specify):
  - (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
<ul> <li>21. Police Reported Alcohol Presence For Pedestrian <ul> <li>(0) No alcohol present</li> <li>(1) Yes alcohol present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul> </li> </ul>	7	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
<ul> <li>22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given</li> </ul>	46	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:	_	Nonfatal (3) Hospitalization
<ul> <li>23. Police Reported Other Drug Presence For Pedestrian <ul> <li>(0) No other drug(s) present</li> <li>(1) Yes other drug(s) present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul> </li> </ul>		(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	Q_	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay
		(00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STORE VVARIATIONS SUMMERCONSISTANCE	a System: Pedestrian Assessment Form Page 4						
The state of the s	## NOT THE REPORT OF THE RESIDENCE OF THE PROPERTY OF THE PROP						
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  36. 3rd Medically Reported Cause of Death  Code the Pedestrian Injury from line						
(99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):						
32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured  (01) Injured, ABGs not measured or reported  (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown  (97) Injured, details unknown  (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian ————————————————————————————————————						
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)  (00) Not fatal  (96) Fatal - ruled disease  (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured						
ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION?  NO [\f] YES [ ]							
UPDATE CANDIDATE? NO[] YES							

## PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

#### **INJURY DATA**


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury


Source of Injur Data	y Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence	Direct/	Striking	Type Of	Damag
		untusio						Level	Injury	Profile	Damage	Depth
s 5.1		, <u>9</u>	a <u>04</u>	<u>, 02</u>	10. 1	11.3	12.947	13. <u>I</u>	14	150	16. <u>O</u>	17 <u>.</u> 0
nd - 18. <u>7</u> Diella <i>l</i>			21. <u>04</u>	22 <u>0</u> <u>A</u>	23. 1	24. <u>A</u>	25. 700	26. <u>3</u>	27. <u>I</u>	28./	29.2	30 - 2
			711			•						30. <u>A</u>
Janii (C	77 7	بنداس	<b>4</b>				38. <u>700</u>		40. <u>/</u>	41. <u>/</u>	42. <u>Z</u>	43. <u>2</u>
th 44. <u>7</u>	45. 🖰	46.4	47. 010	48. <u>D</u> 2	49 1	50.2	51. <u>700</u>	52/	53. <u>/</u>	54. 1	552	56.2
h 57	58	59	60	61	62	63	64	65	66	67	68	69
h 70	71	72	73	74	75	76	77	78	79	80	81	82.
h 83	84	85	86	87	88	89	90	91	92			95.
96	97	98	99	100	101	102	103	104	105	106.		_
109	110	m ·	1121	131	114	115	1116					
							1129					
								_		1321	33 1	34

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and

				PEDES	STRIA	ULNI N	RY DAT	ΓA-				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th												
				•				_		_		_
12th	_					_						
13th												
150.		_			_	_		1	_			
14th	_				_				-			
15th												
	_								_	_	_	
16th	_	_			_	_		_	_			
17th												
	_				-	_		_	_	_	_	_
18th	_				_			_	_			
19th												
						_	——		_	-	_	_
20th	-	_			_	_		_	-	-		
21st												
								_	_	_		
22nd					_			_	_	_		_
23rd	_											
					_	_				_		—
24th	_				_	_		_		_	_	_
25th	_	—										

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





#### SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE OFFICIAL (0) Injury not from vehicle contact (1) Autopsy records with or without hospital/ (2) Probable No damage/contact medical records (3) Possible Unknown Scratch (Scuff, Cloth Transfer, Smear) (2) Hospital/medical records other than (3) Dent emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Large deformation summary) Direct contact injury Indirect contact injury Cracked, fractured, shattered Separated from vehicle Emergency room records only (including associated X-rays or other lab reports) Noncontact injury Noncontact injury (4) Private physician, walk-in or emergency (7) Injured, unknown source 181 Other specify: Unknown STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) DAMAGE DEPTH UNOFFICIAL (5) Lay coroner report (0) Injury not from vehicle contact Flat-Wide (≥ 15 centimeters) (6) E.M.S. personnel (1) No residual damage Rounded (contoured) Surface only damage Interviewee Rounded edge Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Crush depth >5 to 10 centimeters (8) Other source (specify): (5) Sharp edge Other (specify): (9) Police Other specify: (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury (06) Lumbar (3) Neck Moderate injury (4) (5) (6) Thorax (06) Skin - Laceration (3) Serious injury <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 Abdomen (08) Skin - Avulsion Severe injury Spine Upper Extremity Critical injury Maximum (untreatable) (10) Amputation (7) (8) (9) (20) Burn (6) Lower Extremity (30) Crush Injured, unknown severity Level of Injury Unspecified (40) Degloving (50) Injury - NFS Aspect Type of Anatomic Structure Specific injuries (90) Trauma, other than mechanical are assigned consecutive consecutive two-digit beginning with 02. numbers Right Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Left Bilateral (2) Vessels (3) (3) To the extent possible, within the organizational framework of the AIS, 00 Nerves Central Organs (includes muscles/ (10) Concussion organizational framework of the Ala, voice is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Anterior Posterior (5) ligaments) (6) Skeletal (includes joints) Head - LOC Superior structure. 99 is assigned to any injury NFS as to lesion or severity. (8) Inferior Skin (9) Unknown Whole region **INJURY SOURCE FRONT** 700 Front bumper Wheels / tires 790 Left front wheel / tire 744 B pillar 701 Front lower valance/spoiler 745 C pillar 702 Front grille 791 Right front wheel / tire 746 D pillar 703 Hood edge and/or trim 792 Left rear wheel / tire 748 Other pillar (specify): 704 Hood ornament (fixed) 793 Right rear wheel /tire 749 Right side roof rail 705 Hood ornament (spring loaded) 798 Other wheel / tire (specify): 750 Right side door surface 706 Headlight 799 Unknown wheel / tire 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing 708 Turn signal/parking lights Undercarriage components 753 Right side folding mirror 718 Other front or add on object 800 Front crossmember 754 Right side glazing forward of B pillar (specify): 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 719 Unknown front object 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel Left Side Components 804 Transmission 758 Other right side object 720 Front fender side surface 805 Drive shaft (specify): 721 Front antenna 806 Catalytic converter 759 Unknown right side component 722 A1 pillar 807 Muffler 723 A2 pillar 808 Floor pan **Back Components** 724 B pillar 809 Fuel tank 760 Rear (back) bumper 725 C pillar 810 Rear suspension 761 Tailgate 726 D pillar 818 Other undercarriage component 762 Hatchback, vertical surface 728 Other pillar 768 Other back component (specify): (specify): 819 Unknown undercarriage component (specify): 729 Left side roof rail 769 Unknown back component 730 Left side door surface <u>Accessories</u> 731 Left side door handle 820 Air scoop, deflector Top Components 732 Left side mirror fixed housing 821 Cellular or CB radio antenna 733 Left side folding mirror 770 Hood surface 822 Emergency lights or bar 771 Hood surface reinforced by under hood 734 Left side glazing forward of B pillar 823 Fog lights 735 Left side glazing rearward of B pillar component 824 Luggage, ski, or bike rack 825 Cargo (specify): 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 737 Rear antenna 826 Spare tire 774 Wiper blade & mountings 738 Other left side object 827 Spotlight 775 Windshield glazing (specify): 828 Other accessory (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing Right Side Components 947 Ground 779 Rear header 740 Front fender side surface 948 Other object (specify): 780 Hatchback 741 Front antenna 949 Unknown object in environment ∠781 Rear trunk lid 742 A1 pillar 959 Unknown object on contacting vehicle 788 Other top component (specify): \_ 743 A2 pillar 997 Noncontact injury source 789 Unknown top component 999 Unknown injury source

No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = \_\_\_

Units of Blood Given

Units = \_\_\_\_


Arterial Blood Gases


Ph = .

PO. =

PCO<sub>2</sub>


HCO3 \_\_\_






### OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





1 PSU40 CASE 631P

#### 1998 PEDESTRIAN ACCIDENT FORM

#### IDENTIFICATION

3. Number of General Vehicle Forms Submitted 01

4. Date of Accident (Month, Day, Year)
5. Time of Accident (military time) 98 1610

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1 8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01 01

#### 1998 PEDESTRIAN ACCIDENT FORM

#### PEDESTRIAN ACCIDENT EVENTS

Accident Sequence Number	Vehicle Number	Class of Vehicle		Veh. Num. or Obj. Cont.	Class of Vehicle	General Area of Damage		
12. 01	13. 01	14. 13	15. F	16. 72	17. 00	18. 0		
PSU40 1998 PEDESTRIAN ASSESSMENT FORM CASE 631P VEHICLE 01 PEDESTRIAN 01								
4. Pedestr 5. Pedestr 6. Pedestr 7. Pedestr 8. Pedestr 9. Pedestr	rian's Heigh	all Height at - Ground t at - Ground t at - Ground t	to Hip	76 1 178 53 101 141 073				

#### PEDESTRIAN'S PRE-AVOIDANCE ACTIONS

11.	Pedestrian's	Attitude	1
12.	Pedestrian's	Motion	1
13.	Pedestrian's	Actions Relative to Vehicle	01
14.	Pedestrian's	Body (Chest) Orientation Relative	

to Striking Vehicle Prior to Avoidance Actions 4

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions	98
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact 17. Pedestrian's Body (Chest) Orientation at Initial Impact 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction	1 3 01 04 05
OFFICIAL RECORDS	
21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian 24. Other Drug Specimen Test Result For Pedestrian	7 96 0 0

INJURY CONSEQUENCES	
25. Injury Severity (Police Rating)	1
26. Treatment - Mortality	4
27. Type of Medical Facility (for Initial Treatment)	2
28. Hospital Stay	00
29. Working Days Lost	97
(COMPLETED BY THE ZONE CENTER)	
30. Glasgow Coma Scale Score	02
31. Was the Pedestrian Given Blood?	1
32. Arterial Blood Gases	01
33. Time to Death	00
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
36. 3rd Medically Reported Cause of Death	00
37. Number of Recorded Injuries for This Pedestrian	04
01	

PSU40 CASE 631P 1998 PEDESTRIAN INJURY FORM

VEHICLE 01 PEDESTRIAN 01

#### PEDESTRIAN INJURY DATA

	Source of Inj. Data			Anat.			Asp.	Inj. Source	Inj. Source Conf. Level	Indir.			Dmg.
01. 02. 03. 04.	7 7 7 7	7 8 8	9 9 5 4	04 04 24 06	02 02 00 00	1 1 2 1	3 2 2 2	947 700 700 700	1 3 1	1 1 1 1	0 1 1	0 2 2 2	0 2 2 2

#### PSU40

#### 1998 PEDESTRIAN INJURY FORM

CASE 631P

VEHICLE 01 PEDESTRIAN 01

#### PEDESTRIAN INJURY DATA

				Anat.			_		Inj. Source Conf.	Indir.			Dmg.
	Data	кед.	struc.	struc.	ınj.	sev.	Asp.	Source	rever	inj.	Pro.	Dmg.	Dep.
01.	7	7	9	04	02	1	3	947	1	1	0	0	0
02.	7	8	9	04	02	1	2	700	3	1	1	2	2
03.	7	8	5	24	00	2	2	700	1	1	1	2	2
04.	7	8	4	06	02	1	2	700	1	1	1	2	2

01

PSU40

1998 PEDESTRIAN GENERAL VEHICLE FORM

CASE 631P VEHICLE 01

## VEHICLE IDENTIFICATION 4 Vehicle Model Year

4.	Vehicle Model Year	93
5.	Vehicle Make	12
6.	Vehicle Model	441
7.	Body Type	20

8. Vehicle Identification Number 1FMCA11U9PZ

#### OFFICIAL RECORDS

9.	Police Reported Travel Speed	999
10.	Speed Limit	048
11.	Police Reported Alcohol Presence For Driver	7
12.	Alcohol Test Result For Driver	96
13.	Police Reported Other Drug Presence	0
14.	Other Drug Specimen Test Result for Driver	0

#### VEHICLE WEIGHT ITEMS

15. Vehicle Curb Weight 1,520
16. Vehicle Cargo Weight 9,990

OTHER DATA

17. Vehicle Special Use (This Trip)	0
RECONSTRUCTION DATA (COMPLETED BY THE ZONE CE 18. Impact Speed 19. Accuracy Range of Impact Speed Estimate 20. Data Source of Impact Speed	NTER) +016 2 1
PRECRASH DATA 21. Driver's Attention to Driving 22. Pre-Event Vehicle Movement	1 01
PRECRASH DATA (continued) 23. Critical Precrash Event 24. Attempted Avoidance Maneuver 25. Precrash Stability After Avoidance Maneuv 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action)	80 02 er 2 2
ENVIRONMENTAL DATA  27. Relation to Junction 2  28. Trafficway Flow 1  29. Number of Travel Lanes 2  30. Roadway Alignment 1  31. Roadway Profile 1  32. Roadway Surface Type 2  33. Roadway Surface Condition 1  34. Traffic Control Device 0  35. Traffic Control Device Functioning 0  36. Light Conditions 1  37. Atmospheric Conditions 1  01  PSU40 1998 PEDESTRIAN EXTERIOR CASE 631P  VEHICLE 01	VEHICLE FORM
VEHICLE DIMENSIONS  4. Original Wheelbase 302  5. Original Average Track Width 154  6. Hood Material 1  7. Hood Original Equip. Manufacturer 1  8. Hood Length 056  9. Hood Width Forward Opening 158  10. Hood Width Midway 160  11. Hood Width Rear Opening 162	

12.	Hood/Fender '	Vertical/Late:	ral	
	Crush From Po	edestrian		1
13.	Windshield Co	ontact Damage	From	
	Pedestrian Co	ontact		0

#### FRONT CONTACT DAMAGE

FRONT VERTICAL MEASUREMENTS			
14. Front Bumper Cover Material 16. Front Bumper-Bottom Height	1 030		1 057
18. Forward Hood Opening			11
FRONT WRAP DISTANCE MEASUREMENTS			
20. Ground to Fwd. Hood Opening	083	21. Ground to Front/Top Transition Pt	090
22. Ground to Rear Hood Opening	138	23. Ground to Base of Windshield	154
24. Ground to Top of Windshield	243	25. Ground to Head Contact	998

#### SIDE CONTACT DAMAGE

SIDE VERTICAL MEASUREMENTS	
26. Ground Clearance	000
27. Side Bumper-Bottom Height	000
28. Side Bumper-Top Height	000
29. Centerline of Wheel	000
30. Top of Tire	000
31. Top of Wheel Well Opening	000
32. Bottom of A-Pillar at Windshield	000
33. Top of A-Pillar at Windshield	000
34. Top of Side View Mirror	000

#### SIDE CONTACT DAMAGE (continued)

#### SIDE LATERAL MEASUREMENTS

35.	Centerline	to	A-Pillar	at	Bottom of Windshield	000
36.	Centerline	to	A-Pillar	at	Top of Windshield	000
37.	Centerline	to	Maximum S	ide	· View Mirror Protrusion	000

#### SIDE WRAP DISTANCE MEASUREMENTS

38. Ground to Side/Top Transition

39.	Ground	to	Hood Edge		000	
40.	Ground	to	Centerline of Hood	(Origin)	000	
41.	Ground	to	Head Contact	J	000	
0						

40631P00000011	9811.00	00000000	0001161	00100001	. 99	99	99000000000
40631P00010012	9811.01	_00000000	000113F	72000			
40631P00010021	11.0	00000000	076117	85310114	10731101498	1301040579	600142009702
40631P00010131	11.0	00000000	077904	02139471	.1000		
40631P00010231	11.0	00000000	078904	02127003	1122		
40631P00010331	11.0	00000000	078524	00227001	.1122		
40631P00010431	11.0	00000000	078406	02127001	.1122		
40631P01000041	11.0	00000000	0093124	41201FMC	A11U9PZ	99904879	600152999001
40631P01000051	11.0	00000000	030215	41105615	81601621011	.0300570811	108309013815
40631P99999999900	000000000	00000000	000000	00000000	00000000000	0000000000	000000000000

PSU40 CASE 631P CURRENT VERSION: 11.0

## ERROR SUMMARY SCREEN PEDESTRIAN STUDY

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	0	0	0	Ÿ
Pedestrian Injury	0	0	0	Ÿ
Pedestrian General Vehic	le 0	0	0	Ÿ
Pedestrian Exterior Vehi	cle 0	0	0	Ÿ
Total Inter Errors		0	0	
Total Case Errors	0	0	0	